



InTheWall

We have developed the **InTheWall** system to make cleaning faster and easier and to give your home the highest possible hygiene-standards.

The new retractable hose system makes central vacuum systems even more comfortable.

InTheWall consists of an inlet valve (attached to the wall) and a pipeline that lies behind the valve, which stores the flexible hose. When the hose is needed it can be pulled out. After cleaning, it goes back into the pipe just as easily. It is only visible when someone is actually using it.



Hose with hose covering

INTHEWALL



The suction line lies behind the wall and consists of a pip- The InTheWall lid that covers the box is available in four pipe right behind the inlet valve, the curves cannot be stop and four screws for axial adjustment. too tight.

The installation set for one inlet valve includes:

Three PVC sweep ells 90°, two PVC sweep ells 45°, two PVC sweep ells 22°, ten adapter 50mm till 2", eight PVC pipes 2" with a length of 1.75m, six couplings 2"/2", one tube of PVC adhesive 125q, 25m of remote control wire.

A back-up box (with perpendicular entry from above and from below) for perforated walls as well as plasterboard walls. With the ability to adjust to uneven plaster and plaster thickness up to 25mm (better than competitors). With intuitive and ergonomic locking system, sealed low-voltage cables, protective cover. The whole box has a depth of 90,5mm.

ing system with wide curves. Since the hose lies inside the different colours (including white). It has an opening

The flexible hose with the connections on both sides are available in three different lengths: 9m, 12m and 15m.

Cleaning set with ergonomic handle with suction control, telescopic chrome steel wand, 30cm floor tool in white, white upholstery tool, white crevice tool, white round dusting brush.













Piping system with wide curves

Preparatory work











After installing the back-up box screw off the yellow protective cover and screw on the InTheWall lid.

Now you only have to adjust the distance screw to the plaster thickness.





Available in White

White





By easily pulling out the handle, the hose stays in the wanted position and the suction starts.



Ergonomic and intuitive





















Kit IT101S



IT003S Squared back-up box InTheWall



VRZ050 PVC pipe 1,75 m∅ 2″



EM025 Remonte contol wire 2 x 1mm fire pro. 25 m



LPF202 Coupling ∅ 2"




KM125 Tube of PVC adhesive125 gr



IT031 Adapter ∅ 50 mm till 2"



IT006 PVC sweep ell 45° white $f/f \varnothing 2''$



IT018 Safety Stopper completely



IT005 PVC sweep ell 90° white $f/f \varnothing$ 2"



IT007 PVC sweep ell 22,5° withe f/f \varnothing 2"





Completion Set




SZ112 – SZ009 without hose covering

- IT008, handle
- IT004, 9m flexible hose without hose covering
- IT009, 12m flexible hose without hose covering
- IT002S, inlet valve color white
- SZN334W, round dusting brush white
- SZN340W, upholstery tool white
- SZN342W, crevice tool white
- SZN345W, 30cm floor tool
- SZN319, telescopic wand

Attention: the hose covering cannot be added later on.

SZ112C – SZ009C with hose covering

- IT008, handle
- IT019, 9m flexible hose with hose covering
- IT012, 12m flexible hose with hose covering
- IT002S, inlet valve color white
- SZN334W, round dusting brush white
- SZN340W, upholstery tool white
- SZN342W, crevice tool white
- SZN345W, 30cm floor tool white
- SZN319, telescopic wand



Attention: if requested the set is also available with a length of 15m.

*InTheWall*Retractable hose system



@ 2022 Disan Srl – Central vacuum systems Via di mezzo ai piani 13/A – I-39100 Bolzano Email: info@disan.com Tel.: +39 0471 971 000 Fax: +39 0471 978 888 www.disan.com

